

Contents

- Aceret TL, Sammarco PW, Coll JC: Effects of diterpenes derived from the soft coral *Simularia flexibilis* on the eggs, sperm and embryos of the scleractinian corals *Montipora digitata* and *Acropora tenuis* 317
- Alexander PS → Chao S-M
- Allemand D → Tambutté E
- Alongi DM: Effect of monsoonal climate on sulfate reduction in coastal sediments of the central Great Barrier Reef lagoon 497
- Alvarez G → Saavedra C
- Andrew NL → Courtney AJ
- Antrim LD, Thom RM, Gardiner WW, Cullinan VI, Shreffler DK, Bienert RW: Effects of petroleum products on bull kelp (*Nereocystis luetkeana*) 23
- Arellano RV, Hamerlynck O, Vincx M, Mees J, Hostens K, Gijssels W: Changes in the ratio of the sulcus acusticus area to the sagitta area of *Pomatoschistus minutus* and *P. lozanoi* (Pisces, Gobiidae) 355
- Ayazian SG, Hyndes GA: Surf-zone fish assemblages in south-western Australia: do adjacent nearshore habitats and the warm Leeuwin Current influence the characteristics of the fish fauna? 527
- Bailey KM → Oozeki Y
- Baker BJ → Bryan PJ
- Baker CS, Perry A, Chambers GK, Smith PJ: Population variation in the mitochondrial cytochrome *b* gene of the orange roughy *Hoplostethus atlanticus* and the hoki *Macruronus novaezelandiae* 503
- Baker ET → Mullineux LS
- Beardmore JA → Burnett WJ
- Beiras R, Widdows J: Effect of the neurotransmitters dopamine, serotonin and norepinephrine on the ciliary activity of mussel (*Mytilus edulis*) larvae 597
- Béland P → Borobia M
- Benzie JAH → Burnett WJ
- Bienert RW → Antrim LD
- Bischoff B, Wiencke C: Temperature adaptation in strains of the amphiequatorial green alga *Urospora penicilliformis* (Acrosiphoniales): biogeographical implications 681
- Blount C → Courtney AJ
- Boetius A, Felbeck H: Digestive enzymes in marine invertebrates from hydrothermal vents and other reducing environments 105
- Bonhomme F → Kotoulas G
- Borobia M, Gearing PJ, Simard Y, Gearing JN, Béland P: Blubber fatty acids of finback and humpback whales from the Gulf of St. Lawrence 341
- Borsa P → Kotoulas G
- Borut A → Plaut I
- Bourge I → Tambutté E
- Bowden BF → Leone PA
- Boyle PR → Brierley AS
- Brierley AS, Thorpe JP, Pierce GJ, Clarke MR, Boyle PR: Genetic variation in the neritic squid *Loligo forbesi* (Myopsida: Loliginidae) in the northeast Atlantic Ocean 79
- Brown BE, Le Tissier MDA, Bythell JC: Mechanisms of bleaching deduced from histological studies of reef corals sampled during a natural bleaching event 655
- Bryan PJ, Yoshida WY, McClintock JB, Baker BJ: Ecological role for pteroenone, a novel antifeedant from the conspicuous antarctic pteropod *Clione antarctica* (Gymnosomata: Gastropoda) 271
- Burnett WJ, Benzie JAH, Beardmore JA, Ryland JS: Patterns of genetic subdivision in populations of a clonal cnidarian, *Zoanthus coppingeri*, from the Great Barrier Reef 665
- Burreson EM → Paynter KT
- Byles RA → Plotkin PT
- Bythell JC → Brown BE
- Carlton JT → Cohen AN
- Carroll AR → Leone PA
- Chalker BE → Shick JM
- Chambers GK → Baker CS
- Chan EH → Papi F
- Chao S-M, Chen C-P, Alexander PS: Reproductive cycles of tropical sea cucumbers (Echinodermata: Holothuroidea) in southern Taiwan 289
- Chelazzi G → Della Santina P
- Chen C-P → Chao S-M
- Chevaldonné P → Zal F
- Chia F-S → Gosselin LA
- Clarke MR → Brierley AS
- Clayton MN → Doblin MA
- Cohen AN, Carlton JT, Fountain MC: Introduction, dispersal and potential impacts of the green crab *Carcinus maenas* in San Francisco Bay, California 225
- Coll JC → Aceret TL
- Coll JC → Leone PA
- Cosgrove MG → Courtney AJ
- Courtney AJ, Montgomery SS, Die DJ, Andrew NL, Cosgrove MG, Blount C: Maturation in the female eastern king prawn *Penaeus plebejus* from coastal waters of eastern Australia, and considerations for quantifying egg production in penaeid prawns 547
- Craigie JS → Staples LS
- Crocos PJ, Velde TD van der: Seasonal, spatial and interannual variability in the reproductive dynamics of the grooved tiger prawn *Penaeus semisulcatus* in Albatross Bay, Gulf of Carpentaria, Australia: the concept of effective spawning 557
- Cullinan VI → Antrim LD
- Danilowicz BS: Spatial patterns of spawning in the coral-reef damselfish *Dascyllus albisella* 145
- Della Santina P, Santini G, Chelazzi G: Factors affecting variability of foraging excursions in a population of the limpet *Patella vulgata* (Mollusca, Gastropoda) 265
- Desbruyères D → Zal F
- Die DJ → Courtney AJ
- Doblin MA, Clayton MN: Effects of secondarily-treated sewage effluent on the early life-history stages of two species of brown macroalgae: *Hormosira banksii* and *Durvillaea potatorum* 689
- Drum AS → Kerk D
- Dunlap WC → Shick JM
- Dunstan WM → Guo C
- Eisner S → Miles JS
- Elliott JK, Elliott JM, Mariscal RN: Host selection, location, and association behaviors of anemonefishes in field settlement experiments 377
- Elliott JM → Elliott JK
- Elston RA → Kerk D
- Erlandsson J, Kostylev V: Trail following, speed and fractal dimension of movement in a marine prosobranch, *Littorina littorea*, during a mating and a non-mating season 87
- Felbeck H → Boetius A
- Finn RN, Widdows J, Fyhn HJ: Calorimetry of developing embryos and yolk-sac larvae of turbot (*Scophthalmus maximus*) 157
- Fisher CR → Nix ER
- Fleck J, Hofmann DK: In vivo binding of a biologically active oligopeptide in vegetative buds of the scyphozoan *Cassiopea andromeda*: demonstration of receptor-mediated induction of metamorphosis 447
- Forward RB Jr → Tankersley RA
- Fountain MC → Cohen AN
- Fujikura K → Kojima S
- Fyhn HJ → Finn RN
- Gardiner WW → Antrim LD
- Gattuso J-P → Tambutté E
- Gearing JN → Borobia M
- Gearing PJ → Borobia M
- Gee A → Kerk D
- Gibson R → Rogers AD
- Gijssels W → Arellano RV
- Goshima S → Noda T
- Gosliner TM: Introduction and spread of *Philine auriformis* (Gastropoda: Opisthobranchia) from New Zealand to San Francisco Bay and Bodega Harbor 249
- Gosselin LA, Chia F-S: Characterizing temperate rocky shores from the perspective of an early juvenile snail: the main threats to survival of newly hatched *Nucella emarginata* 625
- Graves JE, McDowell JR: Inter-ocean genetic divergence of istiophorid billfishes 193
- Griggs CM → Miles JS

- Grosholz ED, Ruiz GM: Spread and potential impact of the recently introduced European green crab, *Carcinus maenas*, in central California 239
- Grzeta B → Medaković D
- Guderley HE, Rojas FM, Nusetti OA: Metabolic specialization of mitochondria from scallop phasic muscles 409
- Guerao G: Locomotor activity patterns and feeding habits in the prawn *Palaemon xiphius* (Crustacea: Decapoda: Palaemonidae) in Alfacs Bay, Ebro Delta (northwest Mediterranean) 115
- Gunn JS → Proctor CH
- Guo C, Dunstan WM: Depth-dependent changes in chlorophyll fluorescence number at a Sargasso Sea station 333
- Hamerlynck O → Arellano RV
- Harrowfield IR → Proctor CH
- Harvell CD → Miles JS
- Hasegawa S → Kaneko T
- Hashimoto J → Kojima S
- Hashimoto T → Kojima S
- Haszprunar G → Healy JM
- Haywood MDE, Vance DJ, Loneragan NR: Seagrass and algal beds as nursery habitats for tiger prawns (*Penaeus semisulcatus* and *P. esculentus*) in a tropical Australian estuary 213
- Healy JM, Schaefer K, Haszprunar G: Spermatozoa and spermatogenesis in a monoplacophoran mollusc, *Laevipilina antarctica*: ultrastructure and comparison with other Mollusca 53
- Hirano T → Kaneko T
- Hofmann DK → Fleck J
- Hostens K → Arellano RV
- Hurst CD, Skibinski DOF: Comparison of allozyme and mitochondrial DNA spatial differentiation in the limpet *Patella vulgata* 257
- Hyndes GA → Ayvazian SG
- Ingólfsson A: Floating clumps of seaweed around Iceland: natural microcosms and a means of dispersal for shore fauna 13
- Jaubert J → Tambutté E
- Johannes RE → Virtue P
- Jollivet D → Zal F
- Judge ML → Levinton JS
- Kaneko T, Hasegawa S, Takagi Y, Tagawa M, Hirano T: Hypoosmoregulatory ability of eyed-stage embryos of chum salmon 165
- Kerk D, Gee A, Standish M, Wainwright PO, Drum AS, Elston RA, Sogin ML: The rosette agent of chinook salmon (*Oncorhynchus tshawytscha*) is closely related to choanoflagellates, as determined by the phylogenetic analyses of its small ribosomal subunit RNA 187
- Kobayashi T → Kojima S
- Koh C-H → Oh S-H
- Kojima S, Segawa R, Kobayashi T, Hashimoto T, Fujikura K, Hashimoto J, Ohta S: Phylogenetic relationships among species of *Calyptogena* (Bivalvia: Vesicomyidae) collected around Japan revealed by nucleotide sequences of mitochondrial genes 401
- Kostylev V → Erlandsson J
- Kotoulas G, Bonhomme F, Borsa P: Genetic structure of the common sole *Solea vulgaris* at different geographic scales 361
- Kuma K, Matsunaga K: Availability of colloidal ferric oxides to coastal marine phytoplankton 1
- Le Tissier MDA → Brown BE
- Leone PA, Bowden BF, Carroll AR, Coll JC: Chemical consequences of relocation of the soft coral *Lobophytum compactum* and its placement in contact with the red alga *Plocamium hamatum* 675
- Lesser MP → Shick JM
- Levinton JS, Martinez DE, McCartney MM, Judge ML: The effect of water flow on movement, burrowing, and distributions of the gastropod *Ilyanassa obsoleta* in a tidal creek 417
- Liew HC → Papi F
- Loneragan NR → Haywood MDE
- Luschi P → Papi F
- Mariscal RN → Elliott JK
- Martell DJ, McClelland G: Transmission of *Pseudoterranova decipiens* (Nematoda: Ascaridoidea) via benthic macrofauna to sympatric flatfishes (*Hippoglossoides platessoides*, *Pleuronectes ferrugineus*, *P. americanus*) on Sable Island Bank, Canada 129
- Martinez DE → Levinton JS
- Matsunaga K → Kuma K
- McCartney MM → Levinton JS
- McClelland G → Martell DJ
- McClintock JB → Bryan PJ
- McClintock JB → Slattery M
- McDowell JR → Graves JE
- McKelvey LM → Tankersley RA
- Medaković D, Popović S, Zavodnik N, Grzeta B, Plazonić M: X-ray diffraction study of mineral components in calcareous algae (Corallinales, Rhodophyta) 479
- Mees J → Arellano RV
- Meyer KD, Paul VJ: Variation in secondary metabolite and aragonite concentrations in the tropical green seaweed *Neomeris annulata*: effects on herbivory by fishes 537
- Miles JS, Harvell CD, Griggs CM, Eisner S: Resource translocation in a marine bryozoan: quantification and visualization of ^{14}C and ^{35}S 439
- Mills CE, Sommer F: Invertebrate introductions in marine habitats: two species of hydromedusae (Cnidaria) native to the Black Sea, *Maeotias inexpectata* and *Blackfordia virginica*, invade San Francisco Bay 279
- Mills DJ → Proctor CH
- Montgomery SS → Courtney AJ
- Mullineaux LS, Wiebe PH, Baker ET: Larvae of benthic invertebrates in hydrothermal vent plumes over Juan de Fuca Ridge 585
- Munk P: Foraging behaviour of larval cod (*Gadus morhua*) influenced by prey density and hunger 205
- Nakao S → Noda T
- Nichols PD → Virtue P
- Nix ER, Fisher CR, Vodenichar J, Scott KM: Physiological ecology of a mussel with methanotrophic endosymbionts at three hydrocarbon seep sites in the Gulf of Mexico 605
- Noda T, Nakao S, Goshima S: Life history of the temperate subtidal gastropod *Umbonium costatum* 73
- Nusetti OA → Guderley HE
- Oh S-H, Koh C-H: Distribution of diatoms in the surficial sediments of the Mangyung-Dongjin tidal flat, west coast of Korea (Eastern Yellow Sea) 487
- Ohta S → Kojima S
- Oozeki Y, Bailey KM: Ontogenetic development of digestive enzyme activities in larval walleye pollock, *Theragra chalcogramma* 177
- Owens DW → Plotkin PT
- Papi F, Liew HC, Luschi P, Chan EH: Long-range migratory travel of a green turtle tracked by satellite: evidence for navigational ability in the open sea 171
- Paul VJ → Meyer KD
- Paynter KT, Pierce SK, Bureson EM: Levels of intracellular free amino acids used for salinity tolerance by oysters (*Crassostrea virginica*) are altered by protozoan (*Perkinsus marinus*) parasitism 67
- Perry A → Baker CS
- Philippart CJM: Effect of periphyton grazing by *Hydrobia ulvae* on the growth of *Zostera noltii* on a tidal flat in the Dutch Wadden Sea 431
- Pierce GJ → Brierley AS
- Pierce SK → Paynter KT
- Plaut I, Borut A, Spira ME: Growth and metamorphosis of *Aplysia oculifera* larvae in laboratory culture 425
- Plazonić M → Medaković D
- Plotkin PT, Byles RA, Rostal DC, Owens DW: Independent versus socially facilitated oceanic migrations of the olive ridley, *Lepidochelys olivacea* 137
- Popović S → Medaković D
- Proctor CH, Thresher RE, Gunn JS, Mills DJ, Harrowfield IR, Sie SH: Stock structure of the southern bluefin tuna *Thunnus maccoyii*: an investigation based on probe microanalysis of otolith composition 511
- Rogers AD, Thorpe JP, Gibson R: Genetic evidence for the occurrence of a cryptic species with the littoral nemerteans *Lineus ruber* and *L. viridis* (Nemertea: Anopla) 305
- Rojas FM → Guderley HE
- Romero L → Tokeshi M
- Rostal DC → Plotkin PT
- Ruiz GM → Grosholz ED
- Ryland JS → Burnett WJ

- Saavedra C, Zapata C, Alvarez G: Geographical patterns of variability at allozyme loci in the European oyster *Ostrea edulis* 95
- Sammarco PW → Aceret TL
- Santini G → Della Santina P
- Schaefer K → Healy JM
- Scott KM → Nix ER
- Segawa R → Kojima S
- Shacklock PF → Staples LS
- Shick JM, Lesser MP, Dunlap WC, Stochaj WR, Chalker BE, Wu Won J: Depth-dependent responses to solar ultraviolet radiation and oxidative stress in the zooxanthellate coral *Acropora microphthalma* 41
- Shreffler DK → Antrim LD
- Sie SH → Proctor CH
- Simard Y → Borobia M
- Skibinski DOF → Hurst CD
- Skibinski DOF → Wenne R
- Slattery M, McClintock JB: Population structure and feeding deterrence in three shallow-water antarctic soft corals 461
- Smith PJ → Baker CS
- Sogin ML → Kerk D
- Sommer F → Mills CE
- Spira ME → Plaut I
- Standish M → Kerk D
- Staples LS, Shacklock PF, Craigie JS: Rapid growth of clones of the red alga *Chondrus crispus*: applications in assays of toxic substances and in physiological studies 471
- Steinberg DK: Diet of copepods (*Scopalatum vorax*) associated with mesopelagic detritus (giant larvacean houses) in Monterey Bay, California 571
- Stephens FC: Variability of spectral absorption efficiency within living cells of *Pyrocystis lunula* (Dinophyta) 325
- Stochaj WR → Shick JM
- Tagawa M → Kaneko T
- Takagi Y → Kaneko T
- Tambutti E, Allemand D, Bourge I, Gattuso J-P, Jaubert J: An improved ⁴⁵Ca protocol for investigating physiological mechanisms in coral calcification 453
- Tankersley RA, McKelvey LM, Forward RB Jr: Responses of estuarine crab megalopae to pressure, salinity and light: implications for flood-tide transport 391
- Thom RM → Antrim LD
- Thorpe JP → Brierley AS
- Thorpe JP → Rogers AD
- Thresher RE → Proctor CH
- Tokeshi M, Romero L: Quantitative analysis of foraging behaviour in a field population of the South American sun-star *Heliaster helianthus* 297
- Tussenbroek BI van: *Thalassia testudinum* leaf dynamics in a Mexican Caribbean coral reef lagoon 33
- Vance DJ → Haywood MDE
- Velde TD van der → Crocos PJ
- Vincx M → Arellano RV
- Virtue P, Johannes RE, Nichols PD, Young JW: Biochemical composition of *Nyctiphanes australis* and its possible use as an aquaculture feed source: lipids, pigments and fluoride content 121
- Vodenichar J → Nix ER
- Wainwright PO → Kerk D
- Wenne R, Skibinski DOF: Mitochondrial DNA heteroplasmy in European populations of the mussel *Mytilus trossulus* 619
- Widdows J → Beiras R
- Widdows J → Finn RN
- Wiebe PH → Mullineaux LS
- Wiencke C → Bischoff B
- Wu Won J → Shick JM
- Yoshida WY → Bryan PJ
- Young JW → Virtue P
- Yund PO: Gene flow via the dispersal of fertilizing sperm in a colonial ascidian (*Botryllus schlosseri*): the effect of male density 649
- Zal F, Jollivet D, Chevaldonné P, Desbruyères D: Reproductive biology and population structure of the deep-sea hydrothermal vent worm *Paralvinella grasslei* (Polychaeta: Alvinellidae) at 13 °N on the East Pacific Rise 637
- Zapata C → Saavedra C
- Zavodnik N → Medaković D